

Safety information:

Aktobis 32A CEE connection cable H07RN-F 5G6 with a length of 10 m and incl. coupler and plug, IP44



This 32A CEE cable with a length of 10 m including coupler, plug and cap is the ideal connection cable for your high-voltage electrical appliance that requires 400V or 32A! It is a high-quality cable from the brand manufacturer "WDH"!

To operate this connection cable, a five-pole 32 A 380V/415V (50/60Hz) power connection is required. This corresponds to industrial power!

1. Note the technical specifications

- Make sure that the extension cable is suitable for the required voltage and amperage (e.g. 400V, 32A).
- The cable cross-sections must correspond to the load (e.g. 6 mm²).

2. Use only in suitable environments

- For outdoor use, only use cables with the appropriate protection class (**IP44** for damp rooms or construction sites).
- Keep the cable away from heat sources, chemicals and mechanical stress.

3. Protection against overload and short circuit

- Ensure that the cable is not overloaded by checking the connected devices and their power consumption beforehand.

4. Proper installation and use

- Unroll the cable completely to avoid heat build-up or induction damage.
- Route the cable so that it does not pose a tripping hazard and so that it is not damaged by vehicles or heavy objects.

5. Visual inspection before use

- Check the cable regularly for damage, cracks or squashed areas.
- Do not use a damaged cable – there is a risk of fire and electric shock!

6. Use only approved plug connections

- For high voltage, only use **CEE plugs** (e.g. 32A in black/red for 400V).
- Do not use unauthorized adapters or unsafe extensions.

7. Safe handling and storage

- Store in a dry and clean place after use.
- Do not pull over sharp edges or bend.

Properties & advantages:

- Degree of protection: IP44, i.e., splash-proof and protected against the penetration of foreign bodies larger than 1mm
- Good flexibility
- Flexible handling

Technical data:

Cable type: H07RN-F 5G6

Color: black, red

Cable cross-section: 6 mm²

Cable length: 10 m

Weight: 6 kg

Scope of delivery: 32A CEE connection cable 6Q

CEE plug: 32A 5p 6h 400V

Protection class: IP44

CEE coupling: 32A 5p 400V