


## **Installation instructions for the water hose**

Before you can use your new air conditioner, it must be filled with water. To make filling as easy as possible, you will find 3 different hose connectors in the bag supplied. These instructions explain in detail how to connect the water hose to the tap. The first step is always to connect the supplied water hose to the air conditioner.



Once the water hose is connected to the air conditioner, there are 5 ways to connect the water hose to the tap. Care must be taken to ensure that the connection is tight. The 3 different hose connectors are designed for different taps.

### **1. Connection with washing machine connection**

1.1. Please use the hose connector shown in the picture, which was supplied with the air conditioner:



1.2. Connect the hose connector to the water hose of the air conditioner as shown in the illustration:



1.3. Then screw the hose connector onto the washing machine connection:



1.4. Now you can start filling the air conditioner with water. Please follow the instructions in the operating instructions.

## **2. Connection with the garden hose**

2.1. Please use the hose connector shown in the picture, which was supplied with the air conditioner:



2.2. Connect the hose connector to the water hose of the air conditioner as shown in the illustration:



2.3. Then connect the hose connector to the garden hose as shown in the illustration:



2.4. Now you can start filling the air conditioner with water. Please follow the instructions in the operating instructions.

## **3. Further information to water hose connectors**

If all the hose connectors do not work for you, there is also hose connector 3, which can be pulled over any tap and then fixed in place.

Please use the hose connector shown in the picture, which was supplied with the air conditioner:



3.1. Connect the hose connector to the water hose of the air conditioner as shown in the illustration:




3.2. Please pull the inner part of the hose connector over the selected tap:



3.3. Then pull the water hose with the outer hose connector over the inner hose connector and tighten well with the hose clamp:



3.4. Now you can start filling the air conditioner with water. Please follow the instructions in the operating instructions. The connector can also be disassembled into three parts for use and then attached using two methods:



Method 1: Remove the adapter from your tap. Screw in part A.



Method 2: Remove the adapter from your tap. Attach part A to part B by twisting the parts together. Screw them into the tap.

